

TECHNICAL DATA SHEET

Item No 2592

TOPTEC®

Water resisting admixture for demanding concrete acc. to EN 934-2

FIELDS OF APPLICATION

TOPTEC[®] is a highly efficient water resisting agent specially designed for achieving strong hydrophobization for optimum liquids repellence in demanding concrete projects.

The water resisting admixture is suitable for concrete with advanced requirements in durability and quality. Therefore TOPTEC[®] is particularly suitable for concrete applied in:

- Industrial and public area floors
- Steel concrete
- Aviation areas
- Architectural and exposed concrete
- Tunnel and underground constructions
- Sewage treatment plants
- Water retaining constructions
- Drainage constructions
- Concrete constructions in marine environment
- Car parks and parking garages

 $\mathsf{TOPTEC}^{\circledast}$ achieves a very effective protection mechanism, which may provide the following benefits:

- Reduced water absorption
- Increased freeze-thaw resistance
- Decreased steel corrosion
- Increased chemical resistance
- Reduced efflorescence tendencies
- Reduced dirt adhesion

TOPTEC[®] advances concrete's durability and longterm performance and contributes to ecological sustainability.

DOSAGE

Recommended dosage range 0,2 - 1,0 mass-% of the cement content. is equivalent to 2 - 10 ml per kg cement.

WORKING PRINCIPLE

TOPTEC[®] reacts with the cement matrix during the hydration process and generates a hydrophobic concrete texture thereby.

This hydrophobic effect reduces the capillary suction and decreases concrete's liquid absorption abilities.

TECHNICAL DATA

Homogeneity	homogenous
Colour	white
State	liquid
Density	0.96 ± 0.02 g/cm ³
pH value	8.0 ± 1.0
Workability	from +5 °C
Shelf life	approx. 1 year from date of production if stored properly
Storage conditions	Store under cover, out of direct sunlight and protect from extremes of temperature.

TOPTEC® is produced by Ha-Be Betonchemie GmbH / ha-be.com for TOPTEC FLOORS.COM / Sealtec Construction Co. Ltd.



PROCESSING INDICATIONS

 $\mathsf{TOPTEC}^{\circledast}$ should be added either contemporaneously with the tempering water or to the ready-mixed concrete batch.

The mixing time must comply with the regulations defined in EN 206-1.

To ensure compatibility with other admixtures, pretests are recommended.

This product is classified as hazardous according to the CLP regulations. See safety data sheet for further information.

PACKAGING

- 301 can
- 200 | barrel
- 1000 | container

REMARKS

This information describes the application- and processing possibilities of a product and its operation principles under regular conditions. Having no influence on the further application and processing, especially in conjunction with other construction materials, the given indication is neither a warranty in respect of the product's properties or its fitness for a particular purpose nor a full instruction of use. This information, any other recommendation or verbal advice are not binding and do not infer to any liability or legal demand.

Due to continuous further development, the most recent Technical Data Sheet is valid and will be supplied on request. All orders are accepted subject to our current general terms and conditions.

Edition: 07 March 2022

SUITABILITY- AND PRE-TESTS ARE NECESSARY BEFORE APPLYING THE CONCRETE ADMIXTURE!



TOPTEC®

No. 2592

EN 934-2; T9 | Batch number: see packaging of the product

Water resisting admixture for concrete

NAME, REGISTERED TRADE NAME OR MARK & CONTACT ADDRESS OF THE MANUFACTURER

Ha-Be Betonchemie GmbH | Stüvestr. 39 | 31785 Hameln | Germany

SYSTEM OF ASSESSMENT & NOTIFIED BODY

System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 2+

The notified body, Qualitätsgemeinschaft Deutsche Bauchemie, identification number 0921, performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued: a certificate of conformity of the factory production control 0921-CPR-2002

DECLARED PERFORMANCE

Essential characteristics	Performance	Harmonised technical specification
Chloride content	max. 0,10 % by mass	
Alkali content	max. 1,0 % by mass	
Corrosion behaviour	Current density < 10 µA/cm² acc. to EN 480-14	EN 934-2:2009 +
Capillary absorption	complies	A1:2012
Compressive strength	complies	
Air content in fresh concrete	complies	
Dangerous substances	see Safety Data Sheet	

DECLARATION

The performance of the product is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of Ha-Be Betonchemie GmbH.

Hameln, 28.01.2022


Ulrich Meyer | Managing Director



Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022



Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

Trade name: TOPTEC[®]

	(Contd. of page 1)
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
- Addition	al information:
EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-
	methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 2943-75-1	triethoxyoctylsilane	25-50%
EINECS: 220-941-2 Reg.nr.: 01-2119972313-39-xxxx	Aquatic Chronic 2, H411; () Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220- 239-6] (3:1)	≤2.5%

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

 After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:

Rinse out mouth and then drink plenty of water. Call a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.
- **SECTION 5: Firefighting measures**
- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

Trade name: TOPTEC[®]

- 5.3 Advice for firefighters

- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

 Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

(Contd. on page 4)

(Contd. of page 2)

- GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

Trade name: TOPTEC®

(Contd. of page 3) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation - Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. - Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - Eye protection: Tightly sealed goggles **SECTION 9: Physical and chemical properties** - 9.1 Information on basic physical and chemical properties - General Information - Appearance: Form: Fluid Colour: White - Odour: Characteristic - Odour threshold: Not determined. - pH-value at 20 °C: 7-9 - Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 100 °C - Flash point: Not applicable. - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Not determined. Lower: Upper: Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 0.96 g/cm³ - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with Partly miscible. water: - Partition coefficient: n-octanol/water: Not determined. - Viscosity: **Dynamic:** Not determined. **Kinematic:** Not determined. (Contd. on page 5)

Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

(Contd. of page 4)

Trade name: TOPTEC®

- 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: LC50 (96h) = 2,6 mg/L (Oncorhynchus mykiss) (ECHA)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

(Contd. of page 5)

Trade name: TOPTEC®

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

- Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information - 14.1 UN-Number - ADR, IMDG, IATA UN3082 - 14.2 UN proper shipping name - ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triethoxyoctylsilane) Void - IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triethoxyoctylsilane) - 14.3 Transport hazard class(es) - ADR, IATA - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - IMDG - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - 14.4 Packing group - ADR, IMDG, IATA Ш - 14.5 Environmental hazards: - Marine pollutant: No - Special marking (ADR): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. - Hazard identification number (Kemler code): 90 - EMS Number: F-A.S-F - Stowage Category Α - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. - Transport/Additional information: Not dangerous according to the above specifications. - ADR - Limited quantities (LQ) 5L - Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml - Transport category 3 - Tunnel restriction code (-) (Contd. on page 7)

Printing date 29.03.2022

Version number 2.00

Revision: 28.01.2022

(Contd. of page 6)

```
Trade name: TOPTEC®
```

- IMDG

- Limited quantities (LQ)

- Excepted quantities (EQ)

- UN "Model Regulation":

5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIETHOXYOCTYLSILANE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

- Relevant phrases

H301 Toxic if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. - Abbreviations and acronyms: Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

GB -